


Data sheet

6XV1801-2C

product type designation

product description



Control cable 5 x 0.25

Flexible Control cable (5-core), sold by the meter, unassembled

Control cable, 5-core Power line, stranded wire, 5 x AWG24; Delivery unit: max. 1000 m, minimum order quantity 20 m sold by the meter

Technical Product Detail Page

<https://i.siemens.com/1P6XV1801-2C>

cable designation

LIHH11Y 5X1X0.25 SW

electrical data

operating voltage / RMS value	300 V
conductor cross section / of the power line	0.4 mm ²
continuous current / of the power lines	2.5 A

mechanical data

number of electrical cores	5
AWG number	24
outer diameter	
• of inner conductor	0.7 mm
• of the wire insulation	1.2 mm
• of cable sheath	5.3 mm
symmetrical tolerance of the outer diameter / of cable sheath	0.3 mm
conductor class	6
material	
• of the conductor	CU, blank
• of the wire insulation	FRNC
• of cable sheath	PUR
product component / PE connection	No
marking / of cores	Color
color	
• of the power line insulation	Brown / white / blue / black / gray
• of cable sheath	Black
bending radius	
• with single bend / minimum permissible	21 mm
• with multiple bends / minimum permissible	42 mm
tensile load / maximum	10 N
weight per length	40 kg/km

ambient conditions

ambient temperature	
• during operation	-15 ... +80 °C
• during storage	-25 ... +80 °C
• during transport	-25 ... +80 °C
• during installation	-15 ... +80 °C
fire behavior	Flame-resistant according to IEC 60332-1-2, UL 2556, Sec. 9.3 (FT1), CSA C22.2 No.2556, UL 1581, Sec. 1061 (cable flame)

class of burning behaviour / according to EN 13501-6		Fca
chemical resistance		
• to mineral oil		oil resistant according to DIN EN 60811-404 (7x24h/90°C)
• to grease		Conditional resistance
• to water		Conditional resistance
radiological resistance / to UV radiation		sunlight resistant acc. to UL 2556 sec. 4.2.8.5 (720h)
product features, product functions, product components / general		
product feature		
• halogen-free		Yes
• silicon-free		Yes
standards, specifications, approvals		
UL/ETL listing / 300 V Rating		Yes; UL Style 20233 (80°C/300V) CSA C22.2 No. 210 I/II A/B FT1
UL/ETL style / 600 V Rating		No; F
certificate of suitability		
• EAC approval		Yes
• RoHS conformity		Yes
further information / internet links		
internet link		
• to website: Selection guide for cables and connectors		https://support.industry.siemens.com/cs/ww/en/view/109766358
• to web page: selection aid TIA Selection Tool		https://www.siemens.com/tstcloud
• to website: Industrial communication		https://www.siemens.com/simatic-net
• to web page: SiePortal		https://sieportal.siemens.com/
• to website: Image database		https://www.automation.siemens.com/bilddb
• to website: CAx-Download-Manager		https://www.siemens.com/cax
• to website: Industry Online Support		https://support.industry.siemens.com
security information		
security information		<p>Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)</p>

Approvals / Certificates		
General Product Approval		Environment
Manufacturer Declaration	 EG-Konf.	Fire safety / Physical security Environmental Confirmations

last modified:

10/29/2025 